











Lattice Collection

Fuller Architectural Panels is a USA based firm that designs and manufactures standard & bespoke, classic & contemporary decorative lattice for interior and exterior properties.

The lattice collection is completely customizable.


Our extensive expertise allows us to work with world-renowned Architects and Interior Designers.





Diamond Arrangement


LATTICE PANELS






Square Arrangement


LATTICE PANELS






SKU: FP753 / FP746

LATTICE PANELS






ILLUSIONARY ARCHES & ACCESSORIES



DESIGNER BORDERS










BORDERS & CORNERS












Southern Living 2022 idea House SKU: FP760

Southern Living 2022 idea House SKU: FP765/760

Рg

Large Borders










Gasparilla Inn SKU: FP775

Gasparilla Inn SKU: FP774




Accent Trim





DOOR AND CEILING JEWELRY



76.38"



SKU: FP746/FP766 Custom Pattern





Refined Luxury

Kins Bay 2021 SKU: FP271


We offer a collection of made to order planter shells. Clients can select one of our standard patterns or work with us to produce a custom pattern. The designer planter shells can be produced to an unlimited width and length thus making the product and ideal solution when wanting to surround your landscape beds with decorative panels. The planter shells are delivered unassembled therefore simplifying the shipping and finishing process.









We offer four milling options all of which are customizable in orientation, opening size and slat width.




Type: Single Bore Panel Min. Thickness ¼" (.25") Max. Panel Size 48"x96"



Type: Scored Panel Min. Thickness ¼" (.25") Max. Panel Size 48"x96"



Type: Single Mill Panel Min. Thickness: ½" (.50") Max. Panel Size: 44"x96"



Type: Double Mill Panel Min. Thickness ½" (.50") Max. Panel Size 44"x96"

Project: Kips Bay 2022 SKU: FP767; ½" Single Mill Square Pattern



Our creative approach enables an endless combination of designs

Installation

- Install using conventional woodworking techniques. Specialty adhesives may be required.
- · Carbide tipped blades are recommended.
- Glue all joints to prevent separation.

Storage and Handling

- Store items on a flat surface.
- Keep product free of dirt and debris. Use warm water with detergent to clean.

Additional

- LUSSOCOR™ panels must be painted
- Available PVC material colors: white & black
- Available material thicknesses: ¼", ½", ¾", 1" and 1-1/2"
- Standard dimensions subject to change without notice.
- 20% restock fee on approved returns. Custom projects are not returnable.
- Pricing is USD and does not include packaging, shipping and applicable taxes.
- Terms and Conditions found on website.
- Installation and Finishing documentation found on website.

Warranty

Fuller Architectural Panels (hereinafter "Manufacturer") warrants that all products will not rot, split or suffer structural damage from termite or fungal decay for a period of three (3) years from Fuller Architectural Panels. "Purchaser's sole remedy for any claim whatsoever, whether in contract, warranty, tort, or strict liability, arising out of the use, storage or possession of Fuller Architectural Panels, including without limitation any claim that Fuller Architectural Panels fail to perform as warranted, shall be replaced with Fuller Architectural Panels. To obtain replacement, the original owner must submit this warranty certificate, with the original purchase invoice indicating the person or entity is Authorized by Manufacturer to make, and Manufacturer shall not be bound by any statement or representation as to the performance of Fuller Architectural Panels products other than amended or altered except in a written instrument signed by Manufacturer and Purchaser.

Project: Serena & Lily, Palm Beach, Florida SKÚ: FP772; FP745, FP762