

Lattice Collection





Fuller Architectural Panels is a USA based firm that designs and manufactures standard & bespoke, classic & contemporary decorative treillage for interior and exterior applications. We are dedicated to providing high-quality, durable and visually appealing decorative lattice that enhance the overall look and fell of your space. The customizable products are milled out of high-performance synthetic materials therefore will not rot or rust, are light-weight, durable, paint grade, affordable and installed with standard woodworking tools and processes. They are used in commercial or residential applications. Our extensive experience allow us to work with world-renowned Architects and Interior Designers.




















Diamond Arrangement

LATTICE PANELS






Square Arrangement


SKU: FP709-21

LATTICE PANELS





SKU: FP753 / FP746



SKU: FP708-20






SKU: CUSTOM TILES SKU: FP766-8




LATTICE PANELS






ILLUSIONARY ARCHES & ACCESSORIES






DESIGNER BORDERS






BORDER CORNERS & FINISH PLATE FRAMES

BORDER CORNERS











SKU: FP758


SKU: FP734/FP743/FP748/FP755


SKU: FP745/FP748


ROUND PLATE 8-1/2"


FINISH PLATE FRAMES


SINGLE SWITCH











SKU: FP797 SKU: FP795 SKU: FP796

SKU: FP799 SKU: FP798

SKU: FP800

Pg 10



CEILING & CASING JEWELRY








SKU: FP765; FP745; FP791




FP765 / FP760




CEILING & CASING JEWELRY







We offer four milling options all of which are customizable in orientation, opening size and slat width.




Type: Single Bore Panel Min. Thickness ¼" (.25") Max. Panel Size 48"x96"



Type: Scored Panel Min. Thickness ¼" (.25") Max. Panel Size 48"x96"




Type: Single Mill Panel Min. Thickness: ½" (.50") Max. Panel Size: 44"x96"



Type: Double Mill Panel Min. Thickness ½" (.50") Max. Panel Size 44"x96"

SKU: FP767/FP747



Installation

- Install using conventional woodworking techniques. Specialty adhesives may be required.
- Carbide tipped blades are recommended.
- Glue all joints to prevent separation.

Storage and Handling

- Store items on a flat surface.
- Keep product free of dirt and debris. Use warm water with detergent to clean.

Additional

- LUSSOCOR™ material must be painted.
- Available PVC raw material colors: white or black
- Available material thicknesses: ¼", ½", ¾", 1" and 1-1/2"
- Standard dimensions subject to change without notice.
- Allow 2-4 weeks to fulfill your order from design approval.
- 20% restock fee on approved returns. Custom projects are not returnable.
- Pricing is USD and does not include packaging, shipping and applicable taxes.
- Terms and Conditions found on website.
- Installation and Finishing documentation found on website.

Warrantv 3 YEAR LIMITED WARRANTY

Fuller Architectural Panels (hereinafter "Manufacturer") warrants that all products will not rot, split or suffer structural damage from termite or fungal decay for a period of three (3) years from Fuller Architectural Panels. "Purchaser's sole remedy for any claim whatsoever, whether in contract, warranty, tort, or strict liability, arising out of the use, storage or possession of Fuller Architectural Panels, including without limitation any claim that Fuller Architectural Panels fail to perform as warranted, shall be replaced with Fuller Architectural Panels. To obtain replacement, the original owner must submit this warranty certificate, with the original purchase invoice indicating the date of purchase, picture of the defective product and detailed description to Fuller Architectural Panels, 2009 Fairview Road #6731 Raleigh, North Carolina 27628

EXEMPLARY OR CONSEQUENTIAL DAMAGES OF ANY KIND WHATSOEVER. PURCHASER IS SOLELY RESPONSIBLE FOR DETERMINING THE SUITABILITY OF USE OR APPLICATION OF ANY FULLER ARCHITECTURAL PRODUCT, OR WHETHER PRODUCT MEETS REQUIREMENTS OF APPLICABLE BUILDING CODES OR SAFETY CODES FOR SPECIFIC APPLICATIONS. No person or entity is Authorized by Manufacturer to make, and Manufacturer shall not be bound by any statement or representation as to the performance of Fuller Architectural Panels products other than amended or altered except in a written instrument signed by Manufacturer and Purchaser