

## OUR TRACERY PANELS ARE LOOKING UP

We studied plaster-based tracery installations from around the world with the objective of fabricating similar stunning patterns in a more cost-effective process.

Consider this. The large format panels are designed to allow users to mix and match with any of the other large format design therefore allowing for an endless combination of unique patterns.

The customizable products are milled out of high-performance synthetic materials therefore will not rot or rust, are light-weight, durable, paint grade, affordable and installed with standard woodworking tools and techniques.

Available Thicknesses: 1/4", 1/2", 3/4", 1", 1-1/2" & 2"



Pattern FP81








Large Format Tracery Panels

Pattern FP88









Pattern FP80




Pattern FP81




Pattern FP82





Pattern FP83









Pattern FP84




Pattern FP85





Pattern FP86





Pattern FP88







Pattern FP89



Pattern FP90




Pattern FP89




**STANDARD LARGE FORMAT PROFILE DETAILS** (SMALL FORMAT N/A)

FP80, FP81, FP82, FP83, FP85, FP86, FP88, FP89, FP90



**STANDARD LARGE FORMAT PROFILE DETAILS** (SMALL FORMAT N/A)

FP84











## SMALL FORMAT TILE COLLECTION

Pattern FP401M







































Inspired by Mid Century Modern Breeze Block










SAME PATTERN. ALTERNATE LAYOUT.




SAME PATTERN. ALTERNATE LAYOUT.

















SAME PATTERN. ALTERNATE LAYOUT.




















SAME PATTERN. ALTERNATE LAYOUT.













### Installation & Finishing

- Install using conventional woodworking techniques.
- Carbide tipped blades are recommended for cutting.
- Refer to the Installation Guidelines document found on website.

### Storage and Handling

- Store items on a flat surface.
- Keep product free of dirt and debris. Clean using warm water and detergent.

### Additional

- LUSOCOR™ material must be painted.
- Available LUSOCOR™ material thicknesses: 1/4", 1/2", 3/4", 1", 1.5" and 2"
- Available white PVC
- Available PVC material thicknesses: 1/4", 1/2", 3/4", 1" and 1-1/2"
- Standard dimensions subject to change without notice.
- 20% restock fee on approved returns. Custom projects are not returnable.
- Pricing is USD and does not include packaging, shipping and applicable taxes.
- Terms and Conditions found on website.
- Installation and Finishing documentation found on website.
- Lead times based on milling type and quantity and are subject to change.
- 2 to 2-1/2 hrs. budget for milled panel/each barring unforeseen events.
- 1 to 1-1/2 hrs. budget for bore panel/each barring unforeseen events.
- Installation and Finishing documentation found online.
- Warranty details found online.
- Terms & Conditions found online.
- Buyer's responsibility to pay Sales & Use Tax.

### Warranty

#### 3 YEAR LIMITED WARRANTY FOR PRODUCTS

Fuller Architectural Panels (hereinafter "Manufacturer") warrants that products will not rot, split or suffer structural damage from termite or fungal decay for a period of three (3) years from Fuller Architectural Panels. "Purchaser's sole remedy for any claim whatsoever, whether in contract, warranty, tort, or strict liability, arising out of the use, storage or possession of Fuller Architectural Panels, including without limitation any claim that Fuller Architectural Panels fail to perform as warranted, shall be replaced with Fuller Architectural Panels. To obtain replacement, the original owner must submit this warranty certificate, with the original purchase invoice indicating the date of purchase, picture of the defective product and detailed description to Fuller Architectural Panels, 2009 Fairview Road #6731 Raleigh, North Carolina 27628. MANUFACTURER'S LIABILITY UNDER WARRANTY IS LIMITED SOLELY TO REPLACEMENT OF DEFECTIVE PRODUCT. THIS WARRANTY SHALL NOT APPLY TO PRODUCT WHICH HAS NOT BEEN INSTALLED IN ACCORDANCE WITH INSTALLATION GUIDELINES SPECIFIED IN THE MANUFACTURER'S "INSTALLATION INSTRUCTIONS", OR TO PRODUCT WHICH HAS BEEN AUSED, PLACED UNDER OR SUBJECT TO ABNORMAL USE CONDITIONS OR USED, MODIFIED OR OTEHRWISE TREATED IN ANY MANNER OTHER THAN AS INTENDED BY MANUFACTURER. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR LABOR, EXEMPLARY OR CONSEQUENTIAL DAMAGES OF ANY KIND WHATSOEVER PURCHASER IS SOLELY RESPONSIBLE FOR DETERMINING THE SUITABILITY OF USE OR APPLICATION OF ANY FULLER ARCHITECTURAL PRODUCT, OR WHETHER PRODUCT MEETS REQUIREMENTS OF APPLICABLE BUILDING CODES OR SAFETY CODES FOR SPECIFIC APPLICATIONS. No person or entity is Authorized by Manufacturer to make, and Manufacturer shall not be bound by any statement or representation as to the performance of Fuller Architectural Panels products other than amended or altered except in a written instrument signed by Manufacturer and Purchaser.

